

Wir sichern, was Ihnen wertvoll ist. · We secure everything that is valuable to you.



**FORMAT**

The Safe Company

# Cleverer Depositlösungen

## Smart Deposit Solutions

### Die neuen D-II & D-III



**MADE IN GERMANY**  
by FORMAT Tresorbau



Tankstellen  
Supermärkte  
Gastronomie  
Bäckereien  
Banken  
Autohäuser  
Sonnenstudios  
Casinos u.v.m...

Petrol Stations  
Supermarkets  
Gastronomy  
Bakery  
Bank  
Car Dealerships  
Tanning Studios  
Casinos and many more...

## Die neuen FORMAT Topas Pro D-II & Rubin Pro D-III sind da!

Die cleveren Deposittresore der Klasse D-II + D-III zur sicheren Verwahrung von Bargeld und anderes wertvolles Einwurfgut.

Die vielfältigen Aufstellungsmöglichkeiten durch die variable Drehung des Depositsystems machen die Deposittresore zu einem Allround-Talent und optimieren das Cash-Handling. Ob für Gastronomie, Tankstellen, Supermärkte, Banken, Autohäuser, Sonnenstudios und anderen Einzel- oder Großhandelsbetrieben.

Durch die Sicherheitsstufen D-II + D-III nach EN 1143-2 wird ein hoher Einbruchschutz gegen Diebstahl geboten – gewerblich bis € 100.000,- versicherbar.

Die Depositvorrichtung kann unabhängig von der Auffangeinheit nach Kundenwunsch in alle Richtungen bestellt werden und zusätzlich auch 350 mm überstehend gebaut werden.

Die Auffangtresore basieren auf unseren bekannten Pro Serien aus dem Wertschutz-Produktportfolio und halten somit die Vorteile der großen Volumen und geringen Gewichte.

Ein zusätzliches neuartiges Rückholsperresystem blockiert bei einer gewaltsamen Manipulation das komplette Depositsystem - ohne großen Volumensverlust in der Auffangeinheit. Die Sperrvorrichtung wird durch eine einfache Rückstellung der Sperrklappe in der Auffangeinheit wieder aufgehoben.

Die Deposittresore bieten eine große Auswahl für verschiedene Deposits wie Briefumschläge, Vliestaschen, Sicherheitstaschen, Geldtaschen, Geldeinwurfkassetten oder auch wichtige Schlüssel – die schnell und sicher aufbewahrt werden müssen und ein Überfallrisiko minimieren.

Eine sichere Angelegenheit, nicht nur für Unternehmer, sondern auch deren Mitarbeiter. Vermindert das Überfallrisiko und bietet somit Sicherheitsschutz für Personal und Werte. Auch interne Differenzen werden signifikant reduziert.



## The new FORMAT Topas Pro D-II & Rubin Pro D-III has arrived!

The smart D-II + D-III class deposit safes for the secure storage of cash and other valuable inserted goods.

The wide diversity of set-up options made possible by the variable rotation of the deposit system makes the deposit safes a real all-rounder and optimize the cash handling. Whether it's intended for use in gastronomy, petrol stations, supermarkets, banks, car dealerships, tanning studios and other retail or wholesale businesses.

Thanks to its D-II and D-III security levels in line with EN 1143-2, the deposit safes offers enhanced protection against burglary and is trade-insured for up to € 100.000,-.

The deposit device can be ordered independent from the deposit case variable in all directions and also 350 mm overlying.

The deposit safes are based on our renowned Pro series from the valuables protection product portfolio and combine the advantages of high volume and low weight.

An additional new anti-fishing-system blocked the whole deposit system in case of a manipulation - without great loss of volume in the collecting unit. The locking device is removed by a simple reset of the locking tab in the collecting unit again.

The deposit safes offers a wide range of options for different kinds of deposit, such as envelopes, non-woven bags, security bags, money bags, cash deposit cassettes and even important keys which need to be stored quickly and securely and minimize the risk of attack.

Security for both business owners and their staff. Reduces the risk of robbery, thereby offering safety protection for both staff and valuables. Internal differences are also significantly reduced.



img.: Gemini Pro D-I 175 Frontload



Clevere, leicht austauschbare Depositeinheit – besonders servicefreundlich bei Wartung und nach Einbruchversuchen!  
· Smart, easy replaceable deposit unit – particularly service-friendly at maintenance and after break-in attempts!



Geldbestände sind gesichert. Unsere Mitarbeiter haben keinen Zugriff auf die Bestände!



Geldbestände Zeitschlossgesichert  
Unsere Mitarbeiter haben keinen Einfluss auf Abkürzung der eingestellten Sperrzeit!



Money holdings are secured. Our employees have no access to the money holdings!



Money holdings are time lock secured. Our employees have no influence on shortening the blocking time!



## Produktbeschreibung Auffangeinheit

- Serienmäßig Doppelbart-Sicherheitschloss mit 2 Schlüssel
- Türöffnungswinkel 180°
- Fester Stand durch serienmäßige Vorrichtung zur Bodenverankerung inkl. zugelassenem Verankerungsmaterial
- Die Einrichtung der Auffangeinheit ist nach Wunsch mit unterschiedlichem Equipment möglich, wie z. Bsp. abschließbare Aufgangtresore im Tresor selber, oder Schottbleche für den Innenraum, verstärkte Fachböden, etc.
- Farbe: RAL 7024 (graphitgrau) auch in RAL 7035 (lichtgrau) erhältlich
- Versicherbarkeit gewerblich:  
Topas Pro D-II: € 50.000,-  
Rubin Pro D-III: € 100.000,-

## Produktbeschreibung Deposit








- Die Schublade ist serienmäßig ohne Schloss ausgestattet (alternativ auch Doppelbartschlösser und elektronische Varianten möglich)
- Der Schwenkkasten in der Schubeinheit schwenkt um 61,5°. Die Schublade entleert sich dadurch vollständig
- Durch eine spezielle Rückholsperre ist Fishing unmöglich
- Das Depositsystem verfügt über ein integriertes Notblockiersystem bei gewaltsamer Manipulation
- Besonders servicefreundlich, da die Depositeinheit komplett austauschbar ist
- Zugelassene Depositgrößen  
**Minimalmaße des Deposits:**  
- Briefumschlag Format C6 (114 x 162 mm, B x H)  
**Maximalmaße des Deposits:**  
- 65 x 300 x 270 mm (H x B x T), oder  
- 80 x 300 x 180 mm (H x B x T)

## Collection unit product description

- Standard delivery with double-bit security key lock with two keys
- Door opening angle 180°
- Stable positioning due to standard preparation for floor anchoring, incl. certified anchoring material
- The collection unit can if required be fitted with a wide range of equipment, such as, for example, lockable deposit safes within the safe itself or bulkhead plates for the interior, reinforced compartment floors etc.
- Colour: RAL 7024 (grey graphit) also available in RAL 7035 (light grey)
- Amount insured commercial use:  
Topas Pro D-II: € 50.000,-  
Rubin Pro D-III: € 100.000,-

## Deposit product description

- The drawer is supplied as standard without lock (double-bit locks and electronic variants are also possible as an alternative)
- The swivel box in the pusher unit pivots by 61,5°. The drawer thus empties completely
- Thanks to the special anti-fishing-system fishing is impossible
- The deposit system comes equipped with a built-in emergency blocking system which is triggered by the application of force
- Particularly service-friendly as the deposit unit can be completely exchanged
- Permitted deposit sizes  
**Minimum dimensions of the deposit:**  
- Envelope Format C6 (114 x 162, W x H in mm)  
**Maximum dimensions of the deposit:**  
- 65 x 300 x 270 (H x W x D in mm), or  
- 80 x 300 x 180 (H x W x D in mm)








img.: Schlossvarianten: keine serielle Ausführung



Für Abwurfgut bis zu einer Größe von 65 x 300 x 270 mm (H x B x T)! · For inserted items up to a size of 65 x 300 x 270 mm (H x W x D)!





Artikel-Nr. Product no.	Modell Model	Ausrichtung Adjustment	 *	 **			
213250-60000	Topas Pro D-II / 120	Frontload	940 x 665 x 665	410 x 583 x 498	488 x 555	119	533
213250-61000	Topas Pro D-II / 120	Rearload	940 x 665 x 665	410 x 583 x 498	488 x 555	119	533
213250-62000	Topas Pro D-II / 120	Rechts/Right	940 x 665 x 665	410 x 583 x 498	488 x 555	119	533
213250-63000	Topas Pro D-II / 120	Links/Left	940 x 665 x 665	410 x 583 x 498	488 x 555	119	533
213250-64000	Topas Pro D-II / 120	Rearload- L 350	940 x 665 x 665	410 x 583 x 498	488 x 555	119	658
213250-65000	Topas Pro D-II / 120	Rechts-/Right- L 350	940 x 665 x 665	410 x 583 x 498	488 x 555	119	658
213250-66000	Topas Pro D-II / 120	Links-/Left- L 350	940 x 665 x 665	410 x 583 x 498	488 x 555	119	658
213252-60000	Topas Pro D-II / 230	Frontload	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	669
213252-61000	Topas Pro D-II / 230	Rearload	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	669
213252-62000	Topas Pro D-II / 230	Rechts/Right	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	669
213252-63000	Topas Pro D-II / 230	Links/Left	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	669
213252-64000	Topas Pro D-II / 230	Rearload- L 350	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	794
213252-65000	Topas Pro D-II / 230	Rechts-/Right- L 350	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	794
213252-66000	Topas Pro D-II / 230	Links-/Left- L 350	1320 x 665 x 665	790 x 583 x 498	868 x 555	229	794
213253-60000	Topas Pro D-II / 315	Frontload	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	773
213253-61000	Topas Pro D-II / 315	Rearload	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	773
213253-62000	Topas Pro D-II / 315	Rechts/Right	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	773
213253-63000	Topas Pro D-II / 315	Links/Left	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	773
213253-64000	Topas Pro D-II / 315	Rearload- L 350	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	898
213253-65000	Topas Pro D-II / 315	Rechts-/Right- L 350	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	898
213253-66000	Topas Pro D-II / 315	Links-/Left- L 350	1600 x 665 x 665	1070 x 583 x 498	1148 x 555	331	898
213360-60000	Rubin Pro D -III / 140	Frontload	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	640
213360-61000	Rubin Pro D -III / 140	Rearload	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	640
213360-62000	Rubin Pro D -III / 140	Rechts/Right	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	640
213360-63000	Rubin Pro D -III / 140	Links/Left	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	640
213360-64000	Rubin Pro D -III / 140	Rearload- L 350	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	765
213360-65000	Rubin Pro D -III / 140	Rechts-/Right- L 350	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	765
213360-66000	Rubin Pro D -III / 140	Links-/Left- L 350	1040 x 665 x 665	490 x 561 x 485	553 x 533	133	765
213362-60000	Rubin Pro D -III / 210	Frontload	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	758
213362-61000	Rubin Pro D -III / 210	Rearload	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	758
213362-62000	Rubin Pro D -III / 210	Rechts/Right	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	758
213362-63000	Rubin Pro D -III / 210	Links/Left	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	758
213362-64000	Rubin Pro D -III / 210	Rearload- L 350	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	883
213362-65000	Rubin Pro D -III / 210	Rechts-/Right- L 350	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	883
213362-66000	Rubin Pro D -III / 210	Links-/Left- L 350	1320 x 665 x 665	770 x 561 x 485	833 x 533	210	883
213363-60000	Rubin Pro D -III / 280	Frontload	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	873
213363-61000	Rubin Pro D -III / 280	Rearload	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	873
213363-62000	Rubin Pro D -III / 280	Rechts/Right	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	873
213363-63000	Rubin Pro D -III / 280	Links/Left	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	873
213363-64000	Rubin Pro D -III / 280	Rearload- L 350	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	998
213363-65000	Rubin Pro D -III / 280	Rechts-/Right- L 350	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	998
213363-66000	Rubin Pro D -III / 280	Links-/Left- L 350	1600 x 665 x 665	1050 x 561 x 485	1113 x 533	286	998

! Artikel mit der Endung -60000 sind in RAL 7024 · Articles with the ending -60000 are in RAL 7024

\*Ohne Griff und Beschlag · Without handle and fitting \*\* Nutzbares Innenmaß · Usable volume

Technische Änderungen, Maßabweichungen und Druckfehler vorbehalten. Gültig ab September 2012. · Subject to technical changes and misprints. Valid from September 2012.

FORMAT Tresorbau GmbH & Co. KG  
 Industriestraße 10-24  
 37235 Hessisch Lichtenau  
 Deutschland · Germany

Sales Service Germany  
 Tel. + 49 (0) 56 02.939-666  
 Fax + 49 (0) 56 02.939-720

sales@format-tresorbau.de  
 www.format-tresorbau.de